

VYNAMON[®] HEUCOPLAST EZ



Organic Pigments and Preparations for Plastics

BRILLIANT COLOUR SOLUTIONS

heubach
COMPETENCE IN COLOR

sales@heubach-india.com

Organic Pigments and Preparations for Plastics

Vynamon

The Vynamon range of organic pigments is designed for application in plastic colouration. These pigments have high strength and good all-round properties.

- Controlled filter value.
- Compliant to various regulations (contact us for more details).
- Heavy metal free.

Heucoplast - Heucoplast EZ

Heucoplast preparations are pre-dispersed pigments for plastic colouration.

Advantages of using Heucoplast preparations:

- Optimum colour yield and dispersion - low filter value.
- Excellent processability, increased output, lower requirement of energy.
- High chroma.
- Free flowing and low dusting.
- Low downtime - easy to clean.

Heucoplast EZ

The Heucoplast EZ preparations are flushed pigments based on polyolefinic carrier. These pigments offer excellent dispersion and low filter values.

They are recommended for colouration of films, fibres and mouldings.

| Product Name | C. I. No. | Chemical Class | Pigment Content(%) |
|----------------------------|-----------|-------------------|--------------------|
| Heucoplast EZ Blue 515100 | PB 15.1 | Cu Phthalocyanine | 60% |
| Heucoplast EZ Blue 515303 | PB 15.3 | Cu Phthalocyanine | 60% |
| Heucoplast EZ Green 600734 | PG 7 | Cu Phthalocyanine | 60% |
| Heucoplast EZ Red 325401 | PR 254 | DPP | 60% |
| Heucoplast EZ Red 312201 | PR 122 | Quinacridone | 60% |

VYNAMON[®] Organic Pigments for Plastics



| Physical Data | | Fastness | | | | Application | | | | | | |
|------------------------------|---|----------|-------|-----------|---------|--------------------------------------|-----|----|-----|----|----|--------|
| Density (g/cm ³) | Specific Surface Area (m ² /g) | Heat °C | Light | Migration | Warpage | PO | PVC | PS | ABS | PA | PC | Rubber |
| Product Name/Colour Index | | | | | | Vynamon Green 600734 Pigment Green 7 | | | | | | |
| 2.1 | 41 | 300 | 8 | 5 | High | ● | ● | ● | ● | ○ | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|------|--------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Green 600735 Pigment Green 7 | | | | | | |
| 2.1 | 41 | 300 | 8 | 5 | High | ● | ● | ● | ● | ○ | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|------|---------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Green 6YFW-C Pigment Green 36 | | | | | | |
| 2.8 | 50 | 300 | 8 | 5 | High | ● | ● | ● | ● | ○ | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|-----|---|------|---------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Blue 501501 Pigment Blue 15.0 | | | | | | |
| 1.5 | 64 | 200 | 7-8 | 5 | High | ● | ● | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|-----|---|------|---------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Blue 515100 Pigment Blue 15.1 | | | | | | |
| 1.6 | 66 | 280 | 7-8 | 5 | High | ● | ● | ● | ● | ○ | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|------|---------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Blue 515303 Pigment Blue 15.3 | | | | | | |
| 1.6 | 55 | 300 | 8 | 5 | High | ● | ● | ● | ● | ● | ○ | ● |

Legend - ● Recommended ○ Potential Use — Not Recommended

VYNAMON[®] Organic Pigments for Plastics



| Physical Data | | Fastness | | | | Application | | | | | | |
|------------------------------|---|----------|-------|-----------|---------|------------------------------------|-----|----|-----|----|----|--------|
| Density (g/cm ³) | Specific Surface Area (m ² /g) | Heat °C | Light | Migration | Warpage | PO | PVC | PS | ABS | PA | PC | Rubber |
| Product Name/Colour Index | | | | | | Vynamon Blue 3RFWN Pigment Blue 60 | | | | | | |
| 1.6 | 47 | 320 | 8 | 5 | Low | ● | ● | ● | ○ | ○ | ● | ● |



| | | | | | | | | | | | | |
|---------------------------|-----|-----|-----|---|-----|---|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Violet 402305 Pigment Violet 23 | | | | | | |
| 1.4 | 117 | 260 | 7-8 | 4 | Low | ● | ● | ● | ○ | ○ | — | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|------|------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Red 325401 Pigment Red 254 | | | | | | |
| 1.5 | 26 | 300 | 8 | 5 | High | ● | ● | ● | ● | — | — | ● |

Vynamon Red 325404 - Pre-dispersed version also available.



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|-----|------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Red 317601 Pigment Red 176 | | | | | | |
| 1.4 | 58 | 270 | 7 | 5 | Low | ● | ● | ● | ● | ○ | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|-----|------------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Red 312201 Pigment Red 122 | | | | | | |
| 1.5 | 63 | 300 | 8 | 5 | Low | ● | ● | ● | ● | ○ | ○ | ● |




| | | | | | | | | | | | | |
|---------------------------|---|-----|---|-----|-----|--|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 118001 Pigment Yellow 180 | | | | | | |
| 1.5 | — | 290 | 7 | 4-5 | Low | ● | ● | ● | ● | — | — | ● |

Legend - ● Recommended ○ Potential Use — Not Recommended

VYNAMON[®] Organic Pigments for Plastics



| Physical Data | | Fastness | | | | Application | | | | | | |
|------------------------------|---|----------|-------|-----------|---------|---|-----|----|-----|----|----|--------|
| Density (g/cm ³) | Specific Surface Area (m ² /g) | Heat °C | Light | Migration | Warpage | PO | PVC | PS | ABS | PA | PC | Rubber |
| Product Name/Colour Index | | | | | | Vynamon Yellow 106203 Pigment Yellow 62 | | | | | | |
| 1.6 | — | 240 | 7 | 4-5 | Low | ● | ● | ○ | ○ | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|-----|---|-----|--|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 119101 Pigment Yellow 191 | | | | | | |
| 1.5 | 27 | 300 | 6-7 | 5 | Low | ● | ● | ● | ● | — | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|-----|---|-----|--|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 118303 Pigment Yellow 183 | | | | | | |
| 1.8 | 22 | 300 | 6-7 | 5 | Low | ● | ● | ● | ● | — | ○ | ● |



| | | | | | | | | | | | | |
|---------------------------|----|-----|-----|-----|-----|---|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 108304 Pigment Yellow 83 | | | | | | |
| 1.5 | 23 | 200 | 6-7 | 4-5 | Low | ○ | ● | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|---|-----|---|---|-----|--|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 113901 Pigment Yellow 139 | | | | | | |
| 1.6 | — | 240 | 7 | 5 | Low | ● | ● | ○ | ○ | — | ○ | — |



| | | | | | | | | | | | | |
|---------------------------|---|-----|---|---|-----|--|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Vynamon Yellow 118101 Pigment Yellow 181 | | | | | | |
| 1.4 | — | 280 | 7 | 5 | Low | ● | ● | ● | ● | — | — | ● |

Legend - ● Recommended ○ Potential Use — Not Recommended

HEUCOPLAST EZ Preparations for Plastics




| Physical Data | | Fastness | | | | Application | | | | | | |
|------------------------------|---|----------|-------|-----------|---------|-----------------------------------|-----|----|-----|----|----|--------|
| Density (g/cm ³) | Specific Surface Area (m ² /g) | Heat °C | Light | Migration | Warpage | PO | PVC | PS | ABS | PA | PC | Rubber |
| Product Name/Colour Index | | | | | | Heucoplast EZ Blue 515100 PB 15.1 | | | | | | |
| 1.2 | — | 280 | 7-8 | 5 | High | ● | ○ | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|---|-----|---|---|------|-----------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Heucoplast EZ Blue 515303 PB 15.3 | | | | | | |
| 1.2 | — | 300 | 8 | 5 | High | ● | ○ | — | — | — | — | ● |




| | | | | | | | | | | | | |
|---------------------------|----|-----|---|---|------|---------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Heucoplast EZ Green 600734 PG 7 | | | | | | |
| 1.4 | 41 | 300 | 8 | 5 | High | ● | ○ | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|---|-----|---|---|------|---------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Heucoplast EZ Red 325401 PR 254 | | | | | | |
| 1.5 | — | 300 | 8 | 5 | High | ● | ○ | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|---|-----|---|-----|-----|---------------------------------|---|---|---|---|---|---|
| Product Name/Colour Index | | | | | | Heucoplast EZ Red 312201 PR 122 | | | | | | |
| 1.1 | — | 300 | 8 | 4-5 | Low | ● | ○ | — | — | — | — | ● |



| | | | | | | | | | | | | |
|---------------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| Product Name/Colour Index | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Legend - ● Recommended ○ Potential Use — Not Recommended

Heubach India



Unit - I



Unit - II



Unit - III

Our product specifications and application information are based on our current knowledge. They are non-binding and cannot be taken as a guarantee. The processing company must establish the suitability of individual products itself. As their use lies beyond our knowledge and control, we cannot accept any liability relating to the use of our products in particular application. In addition to that, the legal rights of third parties must always be considered. The specification agreed between the customer and ourselves is the basis upon which our general sales and delivery conditions are set and is the deciding factor concerning any liabilities. Our standard specification is then valid if no specification has been agreed upon between the customer and us.

@=Registered trademark of Heubach Colour Pvt. Ltd.

heubach

COMPETENCE IN COLOR

India

Heubach Colour Pvt. Ltd.

Landmark, 2nd Floor,
Race Course Circle, Vadodara - 390 007.

Tel.: (+91265) 2343310, 2354824, 2314860

Fax: (+91265) 2354827

Email: sales@heubach-india.com

Europe

Heubach GmbH

Heubachstr. 7, 38685
Langelsheim, Germany.

Tel.: (+49) 5326-520

USA

Heucotech Ltd.

99 Newbold Road,
Fairless Hills, PA 190030, USA.

Tel.: (+1) 215-736-0712